Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20	((execut\$3 or run\$4) near2 (program\$1 or code or instruction\$1)) near6 (((secure\$1 or protect\$2 or trusted) near2 ((virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:21
L2	12	((execut\$3 or run\$4) near2 (program\$1 or code or instruction\$1)) near6 (((secure\$1 or trusted) near2 ((virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:22
L3	25	((execut\$3 or run\$4) near2 (program\$1 or code or instruction\$1)) near6 (((secure\$1 or trusted) near2 ((virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1) or TPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:41
L4	648	(load\$3 or launch\$3 or open\$3 or start\$3 or creat\$3 or instantiat\$3) near6 (((secure\$1 or trusted) near2 (environment\$1 or (virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1) or TPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:41
L5	673	(load\$3 or launch\$3 or open\$3 or start\$3 or creat\$3 or instantiat\$3 or initiat\$3) near6 (((secure\$1 or trusted) near2 (environment\$1 or (virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1) or TPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 10:08
L6	63	5 same ((execut\$3 or run\$4) near6 (program\$1 or code or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:48
L7	33	5 with ((execut\$3 or run\$4) near6 (program\$1 or code or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:42

L8	2	6 same (power adj manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:43
L9	2	7 with (power adj manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:43
L10	2	6 same (power near2 manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:51
L11	2	7 with (power near2 manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:43
L12	6	4 same (power adj manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:50
L13	2	5 with (power adj manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:44
L14	215	(upload\$3 or unload\$3 or end\$3 or stop\$4 or clos\$3 or terminat\$3 or ((de or un) adj instantiat\$3) or ((un or de) adj initiat\$3) or uninstantiat\$3 or uninitiat\$3) near6 (((secure\$1 or trusted) near2 (environment\$1 or (virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1) or TPM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 10:10
L15	4	14 same ((execut\$3 or run\$4) near6 (program\$1 or code or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:48
L16	2	14 with ((execut\$3 or run\$4) near6 (program\$1 or code or instruction\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:49

			-	r	,	T
L17	1	14 same (power adj manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:50
L18	1	14 with (power adj manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:50
L19	62	5.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:51
L20	9	14.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:51
L21	3	19 and 20	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:51
L22	7	19 and (power near2 manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:51
L23	1	20 and (power near2 manag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 09:51
L25	2	((load\$3 or launch\$3 or open\$3 or start\$3 or creat\$3 or instantiat\$3 or initiat\$3) near6 (((secure\$1 or trusted) near2 (environment\$1 or (virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1) or TPM)) and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 10:09
L26	0	((load\$3 or launch\$3 or open\$3 or start\$3 or creat\$3 or instantiat\$3 or initiat\$3) near6 (((secure\$1 or trusted) near2 (environment\$1 or (virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1) or TPM)) and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 10:09

L27	1	((upload\$3 or unload\$3 or end\$3 or stop\$4 or clos\$3 or terminat\$3 or ((de or un) adj instantiat\$3) or ((un or de) adj initiat\$3) or uninstantiat\$3 or uninitiat\$3) near6 (((secure\$1 or trusted) near2 (environment\$1 or (virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1) or TPM)) and 713/300.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 10:11
L28	0	((upload\$3 or unload\$3 or end\$3 or stop\$4 or clos\$3 or terminat\$3 or ((de or un) adj instantiat\$3) or ((un or de) adj initiat\$3) or uninstantiat\$3 or uninitiat\$3) near6 (((secure\$1 or trusted) near2 (environment\$1 or (virtual adj machine\$1) or VM\$1)) or (trusted adj module\$1) or (trusted adj platform adj module\$1) or TPM)) and 713/320.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 10:11

Page 4

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	46	(load\$3 or launch\$3 or open\$3 or start\$3 or creat\$3 or instantiat\$3 or initiat\$3) near6 ((power adj manag\$5) near2 (code or instruction\$1 or program\$1 or routine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:43
L2	12	1 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:44
L3	10	1 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:44
L4	4	2 same ((operating adj system\$1) or OS\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:41
L5	3	3 with ((operating adj system\$1) or OS\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:41
L6	48	(load\$3 or download\$3 or launch\$3 or open\$3 or start\$3 or creat\$3 or instantiat\$3 or initiat\$3) near6 ((power adj manag\$5) near2 (code or instruction\$1 or program\$1 or routine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:43
L7	12	6 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:50
L8	. 10	6 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:44

L9	20	(upload\$3 or unload\$3 or end\$3 or stop\$4 or clos\$3 or terminat\$3 or ((de or un) adj instantiat\$3) or ((un or de) adj initiat\$3) or uninstantiat\$3 or uninitiat\$3) near6 ((power adj manag\$5) near2 (code or instruction\$1 or program\$1 or routine\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:50
L10	6	9 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:50
L11	2	9 with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/03/01 11:50